

wi

WAH INDUSTRIES LIMITED



For More Information:

Head Office

Quaid Avenue, Wah Cantt. Pakistan

UAN: +92-51-111-111-WIL (945)

Tel: +92-51-905521666

Fax : +92-51-9314281

Email: sales@wahindustries.com

helpline@wahindustries.com

Website: www.wahindustries.com

Facebook: www.facebook.com/wahindustries



Manager sales: +92-51-905521615

Retail sales office: +92-51-905521634

ALL PRODUCTS AVAILABLE AT



WIL Karachi Outlet

Outlet and Display Center, Shop # 4,
Fleet Club, Iqbal Shaheed Road
Sadda, Karachi Tel: +92 21 32781193,
Fax: +92 21 32781193
Email: karachioutlet@wahindustries.com



WIL Lahore Outlet 1

CSD Bedian Road Lahore Cantt.
Tel: +92 42 36622107
Email: lahoreoutlet@wahindustries.com



WIL Lahore Outlet 2

Lahore Garrison Shooting
Gallery
Bark Road Lahore Cantt.
Tel: +92-342-5142788



WIL Peshawar Outlet

Canteen Store Department,
Sir Syed Road, Peshawar Cantt.,
Tel: +92 91 5254124
Email: peshawaroutlet@wahindustries.com



WIL Wah Outlet

Cantt Board Plaza near Barrier III,
Wah Cantt
Tel: +92 51 4533133
Email: wahoutlet@wahindustries.com



WIL Multan Outlet

Masood Metro Mall,
Bosan Road, Multan,
+92 336 5563403



WIL Rawalpindi Outlet

CSD Mega Mall,
Tamiz-ud-Din Rd,
Rawalpindi Cantt.

Coming Soon



Pistol POF-X



Technical DATA

Caliber	9x19mm
Operating	Semi Automatic
Muzzle Velocity	350m/s
Magazine Capacity	18 Rounds
Barrel Length	125mm
Weight w/o magazine	874gm
Sight system	Fixed front sight, Dovetailed Notched Rear sight

METE SFT

CANiK



Technical DATA

Caliber	9x19 mm
Magazine Capacity	18-20 rds
Barrel Length	113.5 mm / 4.47"
Overall Length	192 mm / 7.56"
Height	146 mm / 5.75"
Width	36 mm / 1.41"
Weight (w/o mag)	795g. ±5g / 28.04oz. ±0.17oz (with 18rds magazine)
Trigger Weight	2-2.5kg.
Firing Systems	Semi-Auto Striker Fired
Operation System	Short Recoil – Locked Breech
Safety Systems	Firing Pin Block, Trigger Safety

METE SFx

CANiK



Technical DATA

Caliber	9x19 mm
Magazine Capacity	18-20 rds
Barrel Length	132 mm / 5.20"
Overall Length	210.5 mm / 8.29"
Height	146 mm / 5.75"
Width	36 mm / 1.41"
Weight (w/o mag)	845g. ±5g / 29.80oz. ±0.17oz (with 18rds magazine)
Trigger Weight	2-2.5kg.
Firing Systems	Semi-Auto Striker Fired
Operation System	Short Recoil – Locked Breech
Safety Systems	Firing Pin Block, Trigger Safety

TP9 SF METE

CANiK



Technical DATA

Caliber	9x19 mm
Magazine Capacity	10-15-18-20 rds
Barrel Length	103.5mm / 4.08"
Overall Length	182 mm / 7.17"
Height	133.5 mm / 5.26"
Width	37 mm / 1.46"
Weight (w/o mag)	738g. ±5g / 26.03oz. ±0.17oz (with 15rds magazine)
Trigger Weight	2-2.5kg.
Firing Systems	Semi-Auto Striker Fired
Operation System	Short Recoil – Locked Breech
Safety Systems	Firing Pin Block, Trigger Safety

SFx RIVAL Black & Grey

Stability along with accuracy



CANiK

Technical DATA

CALIBER	9x19
MAGAZINE CAP.	18 Rounds"
BARREL LENGTH (MM/INCH)	127 mm / 5,00
LENGTH	205.5mm / 8.09"
HEIGHT	145mm / 5.7"
WIDTH	36mm / 1.41"
FIRING SYSTEM	Semi-Auto Striker Fired
SAFETY SYSTEM	Firing pin block / Trigger Safety
Weight	835 g

METE MC 9

Stability along with accuracy



CANIK

Technical DATA

CALIBER	9x19
MAGAZINE CAP.	12 Rounds*
BARREL LENGTH (MM/INCH)	81 mm / 3.18"
LENGTH	155mm / 6.1"
HEIGHT	115 mm / 4.52"
WIDTH	28.5mm / 1.12"
FIRING SYSTEM	Semi-Auto Striker Fired
SAFETY SYSTEM	Firing pin block / Trigger Safety
Weight	603 g

TP 9 ELITE COMBAT / Black (PVD Barrel)

Stability along with accuracy



CANIK

Technical DATA

CALIBER	9x19
MAGAZINE CAP.	12 Rounds*
BARREL LENGTH (MM/INCH)	106.5 mm / 4.20"
LENGTH	185mm / 7.28"
HEIGHT	151.5mm / 5.96"
WIDTH	37mm / 1.46"
FIRING SYSTEM	Semi-Auto Striker Fired
SAFETY SYSTEM	Firing pin block / Trigger Safety
Weight	845 g

Pistol ST9


Single action, Semi Automatic, Special sights and Easy Disassembling



Technical DATA

Caliber	9x19mm
Magazine Capacity	15 Rounds
Barrel Length	116mm
Weight w/o magazine	820gm
Muzzle Velocity	350 m/sec
Sight system	Fixed front sight, Dovetailed Notched Rear sight

Pistol B-6



PAKISTAN
ORDNANCE
FACTORIES



Double action, Semi Automatic, Safety lever, Firing pin Safety,
Hammer Safety and Detachable Magazine



Technical DATA

Caliber	9x19mm
Magazine Capacity	15 Rounds
Barrel Length	116mm
Weight w/o magazine	800 gm
Muzzle velocity	350 m/sec
Sight system	3 dot systems

Pistol POF - 4



POF - 4 is an extremely reliable & compact pistol. It is optimized for individual security, protection and guard duties.



Technical DATA

Caliber	9x19mm Para
Magzine	15 Rounds
Type of Fire	Semi Auto
Muzzle Velocity	375 m/sec
Weight of Weapon	2.0 kg (Approx.)
Barrel Length	115 mm

SAR-9



Safety with accuracy



Technical DATA

Caliber	9 x19 mm
Trigger System	Single Action
Capacity	15/17/19
Barrel Length	113 mm (4,4)
Total Length	193 mm (7,6)
Total Height	140 mm (5,5")
Total Width	37 mm (1,4")
Weight	790 gr (27,8 oz)

Product Features

- Firing pin cocked indicator
- Trigger safety
- Changeable side plates and back straps
- Picatinny rail
- Steel slide back plate

SAR 9C



Safety with accuracy



Technical DATA

Caliber	9 x19 mm
Trigger System	Single Action
Capacity	15
Barrel Length	103 mm (4.0")
Total Length	183 mm (7.2")
Total Height	130 mm (5.1")
Total Width	37 mm (1.4")
Weight	760 gr (26.8 oz)

Product Features

- Firing pin cocked indicator
- Trigger safety
- Picatinny rail
- Steel slide back plate

SAR 9 SC



Safety with accuracy



Technical DATA

Caliber	9 x19 mm
Trigger System	Single Action
Capacity	12/15/17
Barrel Length	85 mm (3.3")
Total Length	165 mm (6.4")
Total Height	122 mm (4.8")
Total Width	27 mm (1.1")
Weight	630 gr (22.2 oz)

Product Features

- Polymer Body
- Steel slide back plate

SAR 9 X



PAKISTAN
ORDNANCE
FACTORIES



Safety with accuracy



Technical DATA

Caliber	9 x19 mm
Trigger System	Single Action
Capacity	15+1/17+1
Barrel Length	113 mm (4.4")
Total Length	193 mm (7.6")
Total Height	140 mm (5.5")
Total Width	37 mm (1.4")
Weight	780 gr (27.5 oz)

Product Features

- Firing pin cocked indicator
- Trigger safety
- Changeable side plates and back straps
- Picatinny rail
- Hologram sight
- Cooling channels
- Steel slide back plate

SAR 9 SP



PAKISTAN
ORDNANCE
FACTORIES



Safety with accuracy



Technical DATA

Caliber	9 x19 mm
Trigger System	Single Action
Capacity	17
Barrel Length	133 mm (5.2")
Total Length	211 mm (8.3")
Total Height	152 mm (5.9")
Total Width	37 mm (1.4")
Weight	850 gr (29.9 oz)

Product Features

- Firing pin cocked indicator
- Picatinny rail
- Silencer connection
- Cooling channels
- Steel slide back plate
- Magazine well
- Cord Ring
- High rear and front sight

Pistol POF - 5



Semi - auto, irreversible Pistol, optimized for individual security, VIP protection and guard duties.



Technical DATA

Caliber	9x19mm
Magzine	15 Rounds
Type of Fire	Semi Auto
Muzzle Velocity	400m/sec
Weight of Weapon	2.45kg (Approx.)
Barrel Length	225 mm

.308 WinSporter



The 'sporter' cal .308 Win has been designed as a hunting /sporting rifle in semi-automatic mode. The accuracy of the gun enhanced with a freely floating barrel and pictanny rail for mounting telescope.



Technical DATA

Caliber	7.62x51mm NATO/0.308 win
Operation	Roller Delayed Blow Back
Mode of fire	Semi-Automatic
Muzzle velocity	800±30 m/s
Barrel Grooves	4 grooves right hand twist 305+-10mm lead
Length of weapon	1020mm Approx.
Length of Barrel	450mm
Weight of weapon (Without magazine)	4.50Kg Approx.
Magzine Capacity	5&20 rounds
Effective Range (iron sight)	400m
Effective Range (Telescope)	600m

.308 WinSporter (2nd Generation)



Technical DATA

Caliber	7.62x51mm
Operation	Roller Delayed Blow Back
Mode of fire	Semi-Automatic, Fully Automatic
Muzzle velocity	770 m/s
Length of weapon	935 mm (closed buttstock) 1015mm (Extended)
Length of Barrel	406mm & 305mm
Weight of weapon (Without magazine)	4.1 kg (Aluminum Receiver) 3.9 kg (Polymer Receiver)
Magzine Capacity	20 rounds
Effective Range (iron sight)	400m
Effective Range (Telescope)	600m

0.308 Defender



Technical DATA

Caliber	7.62 x 51 mm
Operation	Roller Delayed Blow Back
Mode of Fire	Semi-Automatic
Muzzle Velocity	710 m/s Approx
Barrel Type	4R 1:12 Polygonal
Length of Weapon	790 mm Approx
Length of Barrel	300 mm (with polygonal rifing)
Weight of weapon (Without magazine)	4.1 Kg Approx
Magazine Capacity	20 rounds
Effective Range (Iron Sight)	400 Meters Approx
Sights Radius	475 mm Approx

CY Synthetic Black



Technical DATA

Gauge	12
Chamber	3" / 76 mm
Barrel Length	71cm / 28"
Choke	All types
Magazine Capacity	5 with swivels

CY Synthetic Gray



Technical DATA

Gauge	12
Chamber	3" / 76 mm
Barrel Length	71cm / 28"
Choke	All types
Magazine Capacity	5 with swivels

CY Synthetic Walnut



Technical DATA

Gauge	12
Chamber	3" / 76 mm
Barrel Length	71cm / 28"
Choke	All types
Magazine Capacity	5 with swivels

SP Black (Over Under)



Technical DATA

Gauge	12
Chamber	3" / 76 mm
Barrel Length	71cm / 28"
Choke	All types
Receiver light alloy with swivels.	

SP White (Over Under)



Technical DATA

Gauge	12
Chamber	3" / 76 mm
Barrel Length	71cm / 28"
Choke	All types
Receiver light alloy with swivels.	

ETRO ET10 Pump Action



Technical DATA

Gauge	12
Chamber	3" / 76 mm
Barrel Length	51cm / 20"
Choke	All types
Magazine Capacity	5+1 with swivels

ETRO ET11 Pump Action



Technical DATA

Gauge	12
Chamber	3" / 76 mm
Barrel Length	51cm / 20"
Choke	All types
Magazine Capacity	5+1 with swivels

Shaheen Cartridges

Super



Types of shell	4S	6S	8S
Shot Load (tolerance ± 1 gm)	34gms	34gms	34gms
Head length (Tolerance ± 2 mm)	16mm	16mm	16mm
Pellets Diameter (tolerance ± 0.05 mm)	3.00mm	2.60mm	2.21mm
Shot Shell length		70mm	

Excel



Types of shell	4E	6E	8E
Shot Load (tolerance ± 1 gm)	36gms	36gms	36gms
Head length (Tolerance ± 2 mm)	16mm	16mm	16mm
Pellets Diameter (tolerance ± 0.05 mm)	3.00mm	2.60mm	2.21mm
Shot Shell length		70mm	

Buck Shot



Types of shell	SG	AAA	BB
Shot Load (tolerance $\pm 1\text{gm}$)	31gms	31gms	31gms
Head length (Tolerance $\pm 2\text{mm}$)	8mm	8mm	8mm
Pellets Diameter (tolerance $\pm 0.05\text{mm}$)	8.43mm	5.25mm	4.25mm
Shot Shell length	70mm		

Game Shot



Types of shell	7T	9SK
Shot Load (tolerance $\pm 1\text{gm}$)	24gms	24gms
Head length (Tolerance $\pm 2\text{mm}$)	8mm	8mm
Pellets Diameter (tolerance $\pm 0.05\text{mm}$)	2.40mm	2.00mm
Shot Shell length	70mm	

Normal Shot



Types of shell	4	5	6
Shot Load (tolerance $\pm 1\text{gm}$)	31gms	31gms	31gms
Head length (Tolerance $\pm 2\text{mm}$)	8mm	8mm	8mm
Pellets Diameter (tolerance $\pm 0.05\text{mm}$)	3.00mm	2.75mm	2.60mm
Shot Shell length	70mm		

Normal Shot



Types of shell	7	8	9
Shot Load (tolerance $\pm 1\text{gm}$)	31gms	31gms	31gms
Head length (Tolerance $\pm 2\text{mm}$)	8mm	8mm	8mm
Pellets Diameter (tolerance $\pm 0.05\text{mm}$)	2.40mm	2.21mm	2.00mm
Shot Shell length	70mm		

POF 9 x 19 mm Ball Ammo



Technical DATA

Bullet	FJM (Gilding metal Jacket/ Brass Jacket lead core)
Case	Brass Case
Primer	Berdan/Boxer Primer
Propellant	Single Base smokeless propellant PHU Pak Ammo-142
Accuracy Test	At distance of 46 meter. Hor & Ver SD of 90 shorts (9 targets of 10 shots each) \leq 50mm
Shelf Life	10 years extendable to further 05 years as per surveillance test requirements of NATO Manual



Sterling 9mm Parabellum FMJ

Technical DATA

Bullet	FMJ Lead Core
Case	Brass Case
Primer	4.4 SP Boxer
Powder	Ball Powder
Max Pressure	2850 bar – 41,335 psi
Average Velocity	370 \pm 10 m/s -1214 fps
Packing	30x50 pcs



.308 WIN BALL (150 grains) Ammo

Technical DATA

Length of complete round:	70.36-71.12mm
Weight of complete round:	24 gm (Approx.)
Bullet Jacket:	gilding metal

Performance:

Muzzle Velocity:	870 m/s
Maximum range:	1000m
Accuracy:	1.5 MOA

PACKING

20 rounds packed



.308 WIN BALL (165 grains) Hunting Ammo

Technical DATA

Length of complete round:	70.36 - 71.12mm
Weight of complete round:	25 gm (Approx.)
Bullet Jacket:	Gilding metal.

Performance:

Muzzle Velocity:	770 m/s
Maximum range:	1000m
Accuracy:	1MOA

PACKING

20 rounds packed



.308 WIN BALL (175 grains) Match Ammo

Technical DATA

Length of complete round:	70.36 ~ 71.12mm
Weight of complete round:	25.5gm (Approx.)
Bullet Jacket:	gilding metal

Performance:

Muzzle Velocity:	770m/s
Maximum range:	1000m
Accuracy:	0.5 MOA

PACKING

20 rounds packed



5.56 x 45 mm M-193 BALL AMMO



PAKISTAN
ORDNANCE
FACTORIES

Technical DATA

Length of Complete Round	56.77 - 57.40 mm
Weight of Complete Round	10.91 - 11.98 grams
Bullet Jacket	Gilding Metal
Muzzle Velocity	≥ 912 m/s
Maximum Range	800m
Accuracy	Hor & Ver SD ≤ 200 mm at 550 meter
Packing	20 x rounds in carton



For Latest News,
Updates and Product Details
Visit our Facebook Page



Original product color may vary due to the lighting effect in the picture